



PHILIPPINE ECONOMIC ZONE AUTHORITY

BIDS AND AWARDS COMMITTEE

10th Floor, Double Dragon Center West Building,
DD Meridian Park, Macapagal Avenue, Pasay City 1302

e-mail: bacsec@peza.gov.ph

website: www.peza.gov.ph

PEZA BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BID BULLETIN No. 2021-10

SUBJECT: PROCUREMENT OF LASER PRINTERS (PEZA-HO-2021-10)

This Supplemental Bid Bulletin No. 2021-10 is being issued to revise provisions/specifications in the Bidding Documents, to address queries/clarifications sent thru email and raised by bidders during the pre-bid conference conducted on 10 December 2021 for the aforementioned project:

A. Revisions to provisions/specifications in the Biddings Documents

For complete information on the changes, in the Technical Specifications (TS), please refer to Annex A.


Opening of Bids and Deadline of Submission of Bids will be **moved from December 22, 2021 to December 24, 2021 at 10:00 AM** in compliance to RA 9184 (this shall apply to Section 1 Nos. 7, 9 and 10)

B. Response to queries/clarifications

QUERY	END-USER RESPONSE / RESOLUTION
1. Quartz verified if PEZA can relaxed the minimum specs of first page out to 6.3secs from 6.1secs	1. Please see Revised Technical Specification
2. Otus verified on Table of specifications on Optical under scan resolution that the maximum allowed is only 600x600DPI	2. The optical scan resolution of 1200x1200 is retained.
3. Pronet verified on tech specs under black and white laser printer that 999 copies minimum should be 999 copies maximum	3. The 999 copies maximum specification is retained.

<p>4. Erwin Manarpis verified that different countries have different certification bodies in terms of safety approval they are suggesting that safety approval will come from the country origin of the device,</p> <p>5. Gakken Philippines also stated the same and verified if supporting documents testifying that the machine being offered is compliant in terms of safety approval will suffice the requirements of safety approval</p> <p>6. Erwin Manarpis asked if safety approvals can be tagged as any international standard that is recognized not just IEC, EN etc.</p> <p>7. Pronet asked regarding requirements of ISO Certification because it is stated in bid doc that it must be supported by a certified true copy, Pronet asked who will certify the document and if anyone from the distributor can certify</p> <p>8. Erwin Manarpis clarified the method of submission whether physical or online</p>	<p>4. Please see Revised Technical Specification</p> <p>5. The end user agreed that the said supporting document that will testify its compliance to safety approval will suffice.</p> <p>6. Please see Revised Technical Specification</p> <p>7. End User clarified that the ISO Certification should be certified by the manufacturer.</p> <p>8. The Vice Chair answered that it should be submitted physically.</p>
---	--

This BID Bulletin is issued this **17th** day of **December 2021** for the information and guidance of all concerned.



GM ALEEM SIDDIQUI M. GUIAPAL
 Chairman
 Bids and Awards Committee

Annex A

Revised Technical Specifications

Item	Specification	Statement of Compliance
Item 1	Black and White Multifunction Laser Printer (print, copy, scan)	<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the</i></p>

		<i>execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
	ISO Certification Manufactured by an ISO 9001 or ISO 9002 certified Laser Printer manufacturing company. (must be supported by certified true copy of ISO certification)	
	Quality Assurance The manufacturer must have a website for components or accessories, where information and descriptions can be viewed by the service provider and end-user. Brand must have a manufacturer's local depot for spare parts. (supported by a letter of certification and address from the manufacturer with the option of the agency to do site visit)	
	Printer Specifications	
	Multitasking supported	Yes
	Print speed (minimum)	Default up to 40ppm, 2-sided: up to 33 ppm
	First page out (minimum)	6.3 sec
	Print technology	Laser
	Duplex Printing	Standard
	Scanner Specification	
	Scanner type	Flatbed, Automatic Document Feeder (ADF)
	Scan Color	Color and B&W Scanner
	Scan file format	PDF, JPEG, TIFF
	Scan resolution, optical	Optical - 1200 x 1200 dpi ADF – up to 300 x 300 dpi Flatbed – up to 1200 x 1200 dpi

	Scan size	Flatbed: 8.5 x 11.7 in ADF: 8.5 x 14 in	
	Scan speed (normal, A4)	31 ipm (B&W) 21 ppm (Color)	
	Duplex Scanning	Yes	
	Scan to USB	Yes	
	Copier Specifications		
	Copier Resize	25 to 400%	
	Copy resolution (minimum)	Black- up to 600 x 600 dpi	
		Color- up to 600 x 600 dpi	
	Copier Settings	ID copy; Number of copies; Resize; Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-sided; Quality;	
	Copies, <i>maximum</i>	999 copies	
	General Specifications		
	Functions	Black and White Multifunction Print/Scan/Copy	
	Processor Speed	1.2 GHz	
	Memory	512 MB	
	Monthly duty cycle	80,000 pages	
	Media Port	USB	
	Connectivity	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB (USB cable included)	
		1 Built-in 10/100/1000 Gigabit Ethernet	
		1 Built-in Wireless 802.11 b/g/n	
	Paper Handling Input	Tray 1 - 100 Sheets	
		Tray 2 - 250 Sheets	
	Paper Handling Output	150 Sheets	

	Media Type	Paper (plain, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough), Envelopes, Labels, Trparencies.	
	Media Sizes	Tray 1: 76.2 x 127 to 215.9 x355.6 mm	
		Tray 2: 104.9 x 148.59 to 215.9 x 355.6 mm	
	Display	Color Touchscreen Control Panel	
	Compatible Operating Systems	Windows 7 all 32-bit and 64-bit edition	
		Windows 10 all 32-bit and 64-bit edition	
	Accessories	Power Cord, USB Cable, Toner	
	Energy Efficiency Compliance	ENERGY STAR, EPEAT, Silver, Blue Angel	
	Warranty	3 years parts, 3 years labor, 3 years onsite: Next Business Day	
		Must have a technical support Toll-Free number for technical assistance within working hours and should be operational and functional for at least within the warranty period.	
		Must have the manufacturer's warranty certificate	
	Delivery	120 Days	
Item 2	Color Laser Printer		
	ISO Certification Manufactured by an ISO 9001 or ISO 9002 certified Laser Printer manufacturing company.		

	(must be supported by certified true copy of ISO certification)	
	<p>Quality Assurance</p> <p>The manufacturer must have a website for components or accessories, where information and descriptions can be viewed by the service provider and end-user.</p> <p>Brand must have a manufacturer's local depot for spare parts. (supported by a letter of certification and address from the manufacturer with the option of the agency to do site visit)</p>	
	Printer Specifications	
Print speed (Normal)	Black : 27 ppm(A4) Color: 27 ppm(A4)	
First page out	9.5 sec(Black); 11 sec(Color)	
Print technology	Laser	
Duty Cycle (monthly, A4)	up to 50,000 pages	
Print Quality (best)	600 x 600 dpi	
Processor Speed	1.2 GHz	
Memory (standard)	256 MB	
Recommended monthly page volume	750 to 4000	
Paper Handling Input	Multipurpose Tray 1 - 50 Sheets Input Tray 2 - 250 Sheets	
Paper Handling Output	150 Sheets	
Duplex Printing	Manual	
Media types supported	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies, labels, envelopes	
Display	Color Touchscreen Control Panel	
Connectivity	1 Hi-speed USB 2.0 (USB cable included)	

		1 Built-in 10/100/1000 TX Gigabit Ethernet	
		Built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS;	
	Compatible Operating Systems	Windows 7 all 32-bit and 64-bit edition	
		Windows 10 all 32-bit and 64-bit edition	
	Safety Approvals	IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479: 2010/EN 62479: 2010 <i>Or, its equivalent. The equivalent of each safety and emission standard requirement must be specified in the bid.</i>	
	ENERGY STAR Compliance	Yes	
	Warranty	3 years parts, 3 years labor, 3 years onsite : Next Business Day	
		Must have a technical support Toll-Free number for technical assistance within working hours and should be operational and functional for at least within the warranty period.	

		Must have the manufacturer's warranty certificate	
	Delivery	120 Days	
Item 3	Black and White Laser Printer A3		
	ISO Certification Manufactured by an ISO 9001 or ISO 9002 certified Laser Printer manufacturing company. (must be supported by certified true copy of ISO certification)		
	Quality Assurance The manufacturer must have a website for components or accessories, where information and descriptions can be viewed by the service provider and end-user. Brand must have a manufacturer's local depot for spare parts. (supported by a letter of certification and address from the manufacturer with the option of the agency to do site visit)		
	Printer Specifications		
	Print speed (Normal)	40 ppm (A4) ; 19 ppm (A3)	
	First page out	Black-10.5 sec	
	Print technology	Laser	
	Processor Speed	800 MHz	
	Print Quality (Best)	1200 x1200 dpi	
	Standard Memory	512 MB	
	Maximum Memory	1 GB	
	Monthly Duty Cycle	100,000 Pages	
	Recommended monthly page volume	5,000 to 20,000 pages	
	Paper Handling Input (Standard)	100 - sheet Multipurpose Tray	
		2 x 250 - sheet input trays	
	Paper Handling Output (Standard)	250-sheet output bin	
	Media Types Supported	Paper (color, Letterhead, light, plain, preprinted,	

		preprunched, recycled, rough), Bond, Cardstock, Envelope, Labels, Transparencies	
Media Sizes Supported		Tray 1&2 : A4, A5, B4, B5	
		Tray 3: A3, A4, A5, B4, B5	
Media Sizes, Custom		Tray 1: 76.2 X127 to 312 x 469.9 mm	
		Tray 2: 148 x 210 to 297 x 363 mm	
		Tray 3: 148 x 210 to 297 x 431 mm	
Duplex Printing		Manual (Driver Support Provided)	
Display		4-Line LCD-color text and graphics	
Connectivity		1 Hi-speed USB 2.0 (USB cable included)	
		Includes 802.11b/g/n Wireless Networking	
		1 Built-in 10/100/1000 TX Gigabit Ethernet	
Compatible Operating Systems		Windows 7 all 32-bit and 64-bit edition	
		Windows 10 all 32-bit and 64-bit edition	
Emission Standards		<p>CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009; +A2:2009; EN 61000-3-3 :2008;EN 55024:1998 +A1 +A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe)</p> <p><i>Or, its equivalent. The equivalent of each safety</i></p>	

		<i>and emission standard requirement must be specified in the bid.</i>	
	Safety Approvals	<p>IEC 60950-1:2005 +A1; EN60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN60825-1:2007(Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 2479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe)</p> <p><i>Or, its equivalent. The equivalent of each safety and emission standard requirement must be specified in the bid.</i></p>	
	Warranty	3 years parts, 3 years labor, 3 years onsite : Next Business Day	
		Must have a technical support Toll-Free number for technical assistance within working hours and should be operational and functional for at least within the warranty period.	
		Must have the manufacturer's warranty certificate	
	Delivery	120 Days	