Republic of the Philippines

PHILIPPINE ECONOMIC ZONE AUTHORITY

RFQ No.	BAC-2024-010
Date	November 28, 2024

REQUEST FOR QUOTATION
Alternative-Small Value [Sec 53.9]

The Philippine Economic Zone Authority (PEZA) intends to undertake **Negotiated Procurement: Small Value** in accordance with Sec. 53.9 of the 2016 Revised Implementing Rules and Regulations of the Republic Act No. 9184.

Name of Project	**Procurement of Media Equipment**
Description/Specifications	**Attached Annex "B"**
Approved Budget for the Contract (ABC)	**Php 605,560.35**
Deadline of Submission of Bid	**December 10, 2024; 10:00 AM**

Interested bidders may submit their duly accomplished and filled-up Annex "A" & "B" on or before the deadline of submission of bids to **Promotions and Public Relations Group, 10th Floor, DoubleDragon Center West Building, DD Meridian Park, Macapagal Blvd., Pasay City.**

Bids must be submitted manually together with the followingdocumentary requirements:

✓	**Mayor's/Business Permit or PhilGEPS Platinum Membership Certificate**
✓	**Omnibus Sworn Statement (Notarized) for ABCs above 50K** *Note: For sole proprietorship, please attach notarized Special Power of Attorney (SPA) for authorized representative; For partnership, corporation, cooperative, or joint venture, please attach notarized Secretary's Certificate, Board/Partnership Resolution, or SPA, whichever is applicable.*
✓	**Income / Business Tax Return (for ABC above 500k)** Latest Income Tax Return (For participants already with an Annual ITR, latest ITR shall refer to the ITR for the preceding Tax Year be it on a calendar or fiscal year. For new establishments which, therefore, have no annual ITR yet, it shall refer to the most recent quarter's ITR) or Latest Business Tax Return (Refers to the Value Added Tax (VAT) or Percentage Tax returns covering the previous six (6) months. For those with less than six (6) months operations, this refers to the monthly business tax returns filed to date)
✓	**PhilGEPS Registration Number** (*not required if PhilGEPS Platinum Membership Certificate is submitted)*

Award of contract shall be given to the lowest calculated and responsive bidder per item which complies with the Price Quotation (Annex A), technical specifications (Annex B) and terms and conditions (Annex C).

For any clarification, you may contact Promotions and Public Relations Group at 8551-3451 loc. 632 or email Mr. Brett Andrew Surell at brett.surell@peza.gov.ph.

OIC DDG ANIDELLE JOY M. ALGUSO
BAC Chairperson

RFQ No.	BAC-2024-010

Annex "A"

PRICE QUOTATION FORM

(Financial Bid)

OIC DDG ANIDELLE JOY M. ALGUSO
OIC Deputy Director General for Policy and Planning and concurrent Officer-in-Charge, Group Manager for Promotions and Public Relations Group
Philippine Economic Zone Authority (PEZA)
8th Floor, DoubleDragon Center West Building, DD Meridian Park,
Macapagal Ave., Pasay City

Dear Ma'am/Madam:

After having carefully read and accepted the Terms and Conditions of this RFQ and followed Instructions to Bidders, hereunder is our quotation/s (inclusive of VAT) for the following items:

Item No.	Item	Quantity	Bid Price (PHP)
1	Mirrorless Camera (Body)	1	
2	DSLR Camera (Body)	1	
3	16-35mm Lens	1	
4	24-70mm Lens	2	
5	24-105mm Lens	1	
6	Battery (for Sony Cameras)	2	
7	Battery Charger	1	
8	Camera Flash (for Sony Cameras)	1	
9	Memory Card (64GB)	2	
10	Card Reader	1	
11	Camera Flash (for Nikon Cameras)	1	
12	Battery (for Nikon Cameras)	1	
13	Gimbal	1	
14	Pocket Video Camera Light	1	
15	Teleprompter	1	
16	Electronic Dry Cabinet	1	
17	Wireless Lavalier Microphone	1	
18	HDMI Cables	5	
			(Inclusive of VAT)

BUSINESS NAME : _____
ADDRESS : _____
PHILGEPS REG. NO. : _____
TIN : _____

AUTHORIZED SIGNATORY : _____
(Signature over Printed Name)

DATE : _____

CONTACT NOS. : _____

EMAIL ADDRESS : _____

INSTRUCTIONS:

(1) Accomplish this Form correctly and accurately.
(2) Do not alter the contents of this form in any way.
(3) Failure to comply with any of the mandatory requirements will disqualify your quotation.
(4) Failure to follow these instructions will disqualify your entire quotation.
(5) Bids exceeding the ABC shall be automatically disqualified.

Annex “B’’

Technical Specifications

Unit Description	**Specification**	**Product Information**
Mirrorless Camera (Body)	Megapixel & Sensor	33MP Full-Frame Exmor R CMOS Sensor
	Mount	E Mount
	Screen	3" 1.03m-Dot Vari-Angle Touchscreen LCD
	Video Recording	4K 60p Video in 10-Bit, S-Cinetone
	ISO	Auto, 100 to 51200 (Extended: 50 to 204800)
	Continuous Shooting	Up to 10 fps at 33 MP for up to 828 Frames (Raw) / Unlimited Frames (JPEG)
	Shutter Speed	1/8000 to 30 Second Bulb Mode
	Viewfinder	3.68m-Dot EVF with 120 fps Refresh Rate
	Card Slot	Slot 1: CFexpress Type A / SD (UHS-II) Slot 2: SD/SDHC/SDXC (UHS-II)
	Weight	1.4 lb / 658 g (Body with Battery and Memory)
	Dimension	5.2 x 3.8 x 3.1" / 131.3 x 96.4 x 79.8 mm
	Warranty	2 Years Warranty PLUS ONE (1) Year Warranty. *The registration for the additional one (1) year warranty shall be done within two (2) years from the date of purchase.
	Battery	1 x NP-FZ100 Rechargeable Lithium-Ion, 7.2 VDC, 2280 mAh (Approx. 520 Shots)
		Product Highlights
		* 33MP Full-Frame Exmor R CMOS Sensor
		* Up to 10 fps Shooting, ISO 100-51200
		* 4K 60p Video in 10-Bit, S-Cinetone
		* 3.68m-Dot EVF with 120 fps Refresh Rate
		* 3" 1.03m-Dot Vari-Angle Touchscreen LCD
		* 759-Pt. Fast Hybrid AF, Real-time Eye AF
		* Focus Breathing Compensation
		* 5-Axis SteadyShot Image Stabilization
		* Creative Looks and Soft Skin Effect

		* 4K 15p UVC/UAC Streaming via USB Type-C

DSLR Camera Body	**Body Type**	Digital Single-Lens Reflex (DSLR)
	Dimensions	143 x 163 x 76 mm (5.6 x 6.4 x 3.0 in)
	Weight	Approx. 840 g (1.85 lb) with battery and memory card
	Sensor Type	Full-frame (35.9 x 23.9 mm) CMOS sensor
	Effective Pixels	24.5 MP
	ISO Range	100-51,200 (expandable to 50-204,800)
	AF System	Multi-CAM 20K autofocus sensor
	AF Points	51 focus points (15 cross-type)
	AF Modes	Single-point AF, Dynamic-area AF, 3D tracking, Auto-area AF
	Continuous Shooting Speed	Up to 7 frames per second (fps) with full AF/AE
	Shutter Speed	1/8000 to 30 seconds, Bulb mode Video
	Video Resolution	4K UHD (3840 x 2160) at 30p/25p/24p
	Full HD (1080p)	Up to 120 fps
	Video Formats	MOV, MP4 (H.264/MPEG-4 AVC)
	Viewfinder Type	Optical viewfinder with 100% frame coverage
	Screen	3.2-inch tilting touchscreen LCD, 2.1 million dots
	Wi-Fi and Bluetooth	Built-in
	USB	USB 3.1 Type-C
	HDMI	Type-C
	Battery Type	EN-EL15b rechargeable lithium-ion
	Battery Life	Approximately 2,260 shots (CIPA standard)
	Card Slots	Dual card slots (CFexpress/XQD and SD UHS-II)
	warranty	One Year Limited Warranty applies to the electronic components, if any, of Binoculars, Rangefinding Binoculars and Fieldscopes, which electronic components, if any, are warranted by Nikon to be free from defects in material and workmanship for one year from the date of purchase by the original consumer purchaser from a Nikon Authorized Dealer.
	Product Highlights	
		*Full frame

		*24.5 megapixels
		*ISO 100-51200
		*EXPEED 6
		*51-point AF
		*7 fps
		*Shutter speeds 1/8000 to 900 s
		*273-point Hybrid AF
		*Eye-detection AF
		*Optical viewfinder
		*Full-frame 4K UHD/30p
		*HDR (HLG) support
		*Silent mode
		*Tilting touch-screen monitor

16-35mm Lens	**Specification**	**Product Information**
	Filter Size	72mm
	Max Magnification	0.23
	Focal Length	16-35mm
	Focus	Min Distance 0.28–0.24 m (0.92–0.79 ft)
	Aperture	Max f/4 Min f/22
	Angle of View	107° to 63°
	Dimension (diameter x length)	3.2 x 3.5" / 80.5 x 88.1 mm
	Weight	353 g (12.5 oz)
	Warranty	1 Year + 3 months upon successful registration. The registration for the additional three (3) months warranty shall be done within one (1) year from the date of purchase. If customer fails to register, they will only enjoy the default one (1) year warranty.
	Product Highlights	
		* Ultra-light, versatile wide-angle power zoom G lens
		* Two XD Linear Motors offering high thrust for quick, quiet, low-vibration AF
		* Three-ring control (zoom, focus, and aperture) and other features support professional shooting needs
		* A new zoom system powered by four XD Linear Motors offering smooth

		control and immediate response

24-70mm Lens	Mount	Nikon F
	Filter Size	Front: 82 mm
	Focal Length	24 - 70mm
	Focus	1.25' (38.10 cm)
	Aperture	Maximum: f/2.8, Minimum: f/22
	Angle of View	84° 4' - 34° 21'
	Dimension (diameter x length)	Approx. 3.48 x 4.30" (88.4 x 109.2 mm)
	Compatibility	Nikon FX/35mm Film
	Warranty	3 Years Local Supplier Warranty
	Product Highlights	
		*F-Mount Lens/FX Format
		*Aperture Range: f/2.8 to f/22
		*Two XR Elements, Three LD Elements
		*Four Aspherical Elements
		*eBAND, BBAR, and Fluorine Coatings
		*Ultrasonic Silent Drive Autofocus Motor
		*VC Image Stabilization
		*Moisture-Resistant Construction
		*Rounded 9-Blade Diaphragm
		*Compatible with TAP-in Console

24-105mm Lens	**Specification**	**Product Information**
	Filter Size	77 mm
	Max Magnification	0.31x
	Focal Length	24 - 105mm
	Focus	38 cm
	Aperture	f/4 to f/22
	Angle of View	84° - 23°
	Lens	E Mount Lens
	Mount	E Mount
	Warranty	1 Year + 3 months upon successful registration. The registration for the additional three (3) months warranty shall be done within one (1) year from

		the date of purchase. If customer fails to register, they will only enjoy the default one (1) year warranty.
	Product Highlights	
		*E-Mount Lens/Full-Frame Format
		*Aperture Range: f/4 to f/22
		*4 Aspherical Elements, 3 ED Elements
		*Nano AR and Fluorine Coatings
		*Direct Drive Super Sonic Wave AF Motor
		*Optical SteadyShot Image Stabilization
		*Internal Focus Design
		*Focus Hold Button; AF/MF Switch
		*Dust and Moisture-Resistant Construction
		*Rounded Nine-Blade Diaphragm

Battery (for Sony Cameras)	**Specification**	**Product Information**
	Chemistry	Lithium-Ion
	Output Voltage	7.2 VDC
	Weight	3 oz / 85 g
		Product Highlights
		*Compatible Cameras *Alpha A9 *Alpha A7R III *Alpha A7 III *Alpha A7 IV
Battery Charger	**Specification**	***Product Information**
	Power Requirements	100-240 VAC
	Charging Time	150 minutes
	Dimension	2.88 x 1.31 x 3.75" / 70 x 33 x 95 mm
	Weight	4.4 oz / 125 g
	Warranty	1 Year Manufacturer
	Battery	NP-FZ100
		Product Highlights
		*For NP-FZ100 Battery Pack
		*Charging Time: 150 Minutes

		*LED Indicator for Charge Status
		*Universal 100-240 VAC Power
		*Slim Design, Detachable AC Cable

Camera Flash (for Sony Cameras)	**Specification**	**Product Information**
	Guide No.	196.85' / 60 m at ISO 100 (105 mm Position)
	Exposure Control	ADI / P-TTL
	Swivel Head	180°
	Coverage	Full-Frame 24 to 105 mm 14 mm (with Wide-Angle Adapter) Angle: 23.3 to 84° 110° (with Wide-Angle Adapter)
	Recycle Time	Approx. 0.1 to 1.7 Seconds
	Power/Battery	4 x AA (Alkaline, NiMH) -not included
		Product Highlights
		*2.4 GHz Radio Transceiver with 98' Range
		*Compatible with ADI / P-TTL
		*Guide Number: 197' at ISO 100 and 105mm
		*Zoom Range: 20-200mm (14mm with Panel)

Memory Card	**Specification**	**Product Information**
	Dimensions (W x H x D)	24 x 32 x 2.1 mm
	Weight	2 g
	Capacity	64 GB
	Transfer Speed (read)	Up to 300 MB/s
	Transfer Speed (Write)	Up to 299 MB/s
	Speed Class	Class 10 (SD Speed Class), Class 3 (UHS Speed Class)
	Interface	UHS-II

Memory	**Specification**	**Product Information**

Card Reader	Dimensions (approx. W x H x D)	2.26" x 1.25" x 0.44"
	Weight (Approx.)	0.71 oz
	Interface	UHS-II / USB 3.1 Gen 1
	Port Type	Standard A
	Supported OS	Windows 7 (SP1), Windows 8.1, Windows 10, OS X 10.9 or later

Camera Flash (for Nikon Cameras)	**Specification**	**Product Information**
	Flash Compensation	Radio control and optical communication
	Guide No.	Radio control approx. 98 ft. (30m), optical communication - line of sight
	Recycle Time	Approx. 1.5 Seconds
	Flash Duration	1/300 to 1/20000 Second
	Flash Exposure Control	Nikon i-TTL, Manual
	Compatibility	Nikon
		Product Highlights
		Built-In X Wireless Radio System
		Recycling 1.5 sec Full Power
		Guide Number: 197' at ISO 100
		Battery Gives 480 Full-Power Flashes
		Flash Coverage: 20-200mm
		Wireless Master/Slave TTL Functionality

Battery (for Nikon Cameras)	**Specification**	**Product Information**
	Battery Series	EN-EL15c
	Battery Capacity	2280 mAh / 16 Wh
	Output Voltage	7 VDC
	Battery Chemistry	Lithium-Ion
	Package Weight	0.23 lb
	Box Dimensions (LxWxH)	3.2 x 2.1 x 1.4"

Gimbal	**Specification**	**Product Information**
	Range	Mechanical Rotation Range: Yaw (Pan): 360° ; Pitch (Tilt): -112 to 214° ; Roll: -95 to 240°
	Number of Axes	3: Pitch (Tilt), Roll, Yaw (Pan)

	Compatibility	Mobile App: Yes: Android & iOS App Name: Ronin App
	Load Capacity	3kg
	Mount	1 x 1/4"-20 Female; 2 x NATO Rail
	Weight	1.07 kg
	Material	Aluminum Alloy
	In The Box	Gimbal × 1; BG21 Battery Grip × 1; Quick-Release Plate (Arca-Swiss/Manfrotto) × 1; Extended Grip/Tripod (Plastic) × 1; Lens-Fastening Support × 1; USB-C Charging Cable (40 cm) × 1; Multi-Camera Control Cable (USB-C, 30 cm) × 1; Screw Kit × 1; DJI Logo Sticker × 1
	Battery	Built-In Battery 3000 mAh / 21 Wh
		Product Highlights
		*Max payload: 3kg
		*Material: Aluminum Alloy
		*1.8″ OLED Full-Color Touchscreen
		*4th-Gen RS Stabilization Algorithm

Pocket Video Camera Light	**Specification**
	Mirror size:186×144.5 mm
	Unit size:200×104.6×202.6 m.
	Unit weight:440g.
	lens adapter:49/52/55/58/62/67/72/77/82mm.

Teleprompter	**Specification**	**Product Information**

	Mirror size:186×144.5 mm	*Retractable base, 11 inch tablet holder. It adopts the retractable base design, and the base can be adjusted up and down. Retractable 4-section mobile phone and tablet clamp of maximum length 7.5 " can support 11 " tablets as teleprompter device. To effectively avoid the appearance of stand and device when taking the vertical photo.
	Unit size:200×104.6×202.6 m.	*Wider Angle, Larger View: DSLR and tablet display mode supports more than 25mm horizontal / shot and less than 13mm vertical shot. Adopts 6mm camera rings, makes the connection of DSLR and teleprompter very tight.
	Unit weight:440g.	*Two cold shoe mounts, remote application: There are two cold shoe mounts on the top of the teleprompter to extend to install the microphone, fill lights, phone holder and other soot auxiliary devices
	lens adapter:49/52/55/58/62/67/72/77/82mm.	*Spilled glass with selected coating: 26-layer glass coating after tempering, 7H hardness, excellent transmission and reflection effect, keep a clear and good image and improve shooting efficiency.
	Product Highlights	
		*High Definition Manuscript Display
		*Cellphone/DSLR shooting
		*Extension cold shoe mount
		*Retractable base
		*Four-section cellphone/tablet clamp
		*Bluetooth remote control

		*Exclusive prompting APP

Dry Cabinet	**Specification**	**Product Information**
	Capacity	100 Liters
	Quick Dehumidification	Powerful movement, Dehumidified in 2 minutes. Keeps it dry even in the Wet Season
	Energy Saving	When the Temperature reaches its specific Humidity, the Circulating movement will stop conserving more energy and cost
	Smart AI Control Chip	Sets the humidity accurately. Fully Automatic detection is applied. Provides 24 Hours humidity control
	Low Noise Technology	20dB of Quiet Space. The movement simulates natural physical condensation + heating and dehumidification technology, which is healthy and pollution-free. There is no obvious noise during the entire work process
	Product Highlights	
		*Safety Lock Function
		*Adjustable Foot Pads
		*Leer LED Lights
		*Magnetic Seal Diagram for doors
		*High-Density Sponge Pad
		*Cold Rolled Steel Sheet

Wireless Lavalier Microphone	**Specification**	**Product Information**
	Display	Led
	Mount	Shoe-Mount (with Included Hardware)
	Operating Temp	14 to 113°F / -10 to 45°C
	Power Requirements	Battery
	Frequency Response	20 Hz to 20 kHz

	Compatibility	Yes: Android & iOS App Name: LarkSound
	Dimension	1.6 x 1.1 x 0.8" / 40 x 27.5 x 20.5 mm
	Weight	0.5 oz / 14.8 g
	Color	Shine Charcoal - Black
	Connectivity	USB-C Female
	Warranty	2 Years Local Supplier Warranty
	Battery	1x Built-In Rechargeable
	Product Highlights	
		For Mobile Journalism, Content Creation
		Camera-Mount and Plug-In Receivers
		Up to 1000' Transmission Distance
		Environmental Noise Cancellation
		iOS/Android App Control
		2 x Transmitters with Built-In Omni Mics
		Clip-On, Compact Form Factor
		48 kHz, 24-Bit Hi-Fi Sound
		LED Indicators, Built-In Batteries
		Included Charging Case

HDMI Cables	**Specification**	**Product Information**
	Length	20M

AUTHORIZED SIGNATORY: _____

(Signature over Printed Name)

DATE

Annex "C"

Terms and Conditions

TERMS AND CONDITIONS

- Bidder shall type or write in "Ink" the following on the Price Quotation Form:
  - Name of Store
  - Address
  - PhilGEPS Registration No. / Organization No.
  - TIN
  - Authorized Signatory
  - Date
  - Contact Nos.
  - Email Address

- Submit the filled-up (Annexes A and B) Forms manually at the following address:

  Manually: **PPRG, 10th Floor Double Dragon Center, West Building, DD Meridian Park, Macapagal Avenue, Pasay City**

- Delivery Period: 15 working days upon receipt of Notice to Proceed

- Terms of Payment: Through Cheque / 15 working days upon receipt of Original Sales / Billing Statement.

- Winning Bidder must deliver the items/services to the following address:
  10th Floor DoubleDragon Center, West Building, DD Meridian Park, Macapagal Avenue, Pasay City